

1.1 MC1 -DK

MC1

Type-C Li-ion-batterioplader

(Ord til instruktionsbillede)

1. Batteriåbning
2. LED-indikator
3. Indgang DC 5V 0,5A

1) Introduktion

Det enkleste design uden overflødige funktioner og vægt, oplader stadig batterier fra 10440 til 26650.

Ansøg til

3,6V/3,7V Li-ion/IMR/INR/ICR

10440 14500 14650 16340 17335 17500 17670 18350 18490 18500 18650 18700 20700 21700
22650 25500 26650

Bemærk: Kan ikke oplade beskyttede 20700/21700-batterier.

2) Specifikation

Model	MC1
Input	DC 5V 0,5A
Konstant strøm	0,5A x 1
Afbrydelsesspænding	4.2±0.05V
Afbrydelsesstrøm	≤120mA
Driftstemperatur	0-40°C

3) Betjening

I. Ladningsfunktionen

Tilslut strømforsyningen og sæt batterierne i, så begynder den automatisk at oplade.

II. 0V Aktiveringsfunktion

Indsæt batterier, genopladelige batterier begynder at oplade inden for 10 minutter.

Indikatorfarve Betydning

Grøn: standby/fuldstændigt opladet

Rød: opladning/aktivering/kortslutning

Intet lys: strømforsyningen er ikke tilsluttet/polariteten er vendt om

4) Garanti

Tag produktet (med garantinummer) og kvitteringen med til den lokale forhandler for at få

eftersalgsservice.

- 15 dages gratis ombytning.
- 12 måneders gratis reparation. Hvis der opstår problemer efter 12 måneder, tilbyder vi gratis reparationsservice, men opkræver betaling for de anvendte dele. Forhandleren vil informere dig om reparationsgebyret før reparation.

Livstids teknisk support.

Bemærk:

1. Kunstige skader er ikke omfattet af garantien.
2. Vi anbefaler, at du gemmer garantioplysninger online: Registrer dig og log ind på www.xtar.cc
- Medlemscenter - Garantioplysninger.

Global eftersalgse-mail: service@xtar.cc

US Eftersalg E-mail: serviceus@xtar.cc

5) Anti-falsk

1. Rids antiforfalskningsmærket på pakken for at få et 18-cifret nummer.
2. Indtast nummeret på forespørgselssiden på www.xtar.cc (Contact Us - Anti-fake).

6) Advarsel

1. Når strømforsyningen er utilstrækkelig, vil opladeren reducere ladestrømmen tilsvarende.
2. Oplad ikke uegnede batterier med opladeren.
3. Hold opladeren væk fra fugt, vand og meget støv.
4. Børn skal bruge opladeren sammen med en voksen.
5. Skil ikke opladeren ad, og brug den ikke, hvis den er beskadiget.
6. For mere og opdateret information, besøg www.xtar.cc.

1.1 MC1 -EN

MC1

Type-C Li-ion Battery Charger

(Words for instruction image)

1. Battery Slot
2. LED Indicator
3. Input DC 5V 0.5A

1) Introduction

Simplest design without any redundant functions and weight, still charge batteries whatever from 10440 to 26650.

Apply to

3.6V/3.7V Li-ion/IMR/INR/ICR

10440 14500 14650 16340 17335 17500 17670 18350 18490 18500 18650 18700 20700 21700 22650
25500 26650

Note: Can not charge protected 20700/21700 batteries.

2) Specification

Model	MC1
Input	DC 5V 0.5A
Constant Current	0.5A x 1
Cut-Off Voltage	4.2±0.05V
Cut-Off Current	≤120mA
Operating Temperature	0-40°C

3) Operation

I . The Charge Function

Connect power supply and insert batteries, it will automatically start charging.

II. 0V Activation Function

Insert batteries, revivable batteries will start charging within 10 minutes.

Indicator Color Meaning

Green: standby/fully charged

Red: charging/activating/short circuit

No Light: power supply unconnected/polarity reversed

4) Warranty

Please take the product (with warranty number) and receipt to local dealer to get after-sales service.

- 15 days free replacement.
- 12 months free repair. If problems develop beyond 12 months, we will offer free repair service but charge for parts used. The dealer will inform you the repair fee before repair.
- Lifetime technical support.

Note:

1. Artificial damage are not included in the warranty.
2. You are recommended to store warranty info online: register and login to www.xtar.cc - Member Center - Warranty Information.

Global After-sales Email: service@xtar.cc

US After-sales Email: serviceus@xtar.cc

5) Anti-Fake

1. Scratch the anti-counterfeiting label on the package to get an 18-digit number.
2. Input the number into the query page on www.xtar.cc (Contact Us - Anti-fake).

6) Warning

1. When the power supply is insufficient, the charger will reduce the charge current correspondingly.
2. Do not charge unsuitable batteries with the charger.
3. Keep the charger away from humidity, water, and excessive dust.
4. Children should use the charger accompanied by an adult.
5. Do not disassemble or use the charger if it is damaged.
6. For more and updated info, please visit www.xtar.cc.